

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 25-Jun-2015

Revision Number 2

1. Identification

Product Name

Ammonium cerium(IV) nitrate

Cat No. :

AC201440000; AC201440010; AC201440050; AC201441000; AC201442500

Synonyms

ms Ceric ammonium nitrate; CAN

Recommended Use Laboratory chemicals.

Uses advised against No Information available Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Category 2 Category 1 Category 4 Category 1 C Category 1 Category 1 Category 3

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Corrosive to metals
Acute oral toxicity
Skin Corrosion/irritation
Serious Eye Damage/Eye Irritation
Skin Sensitization
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.

Label Elements

Signal Word Danger

Hazard Statements

May intensify fire; oxidizer May be corrosive to metals Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/sprav Wear protective gloves/protective clothing/eve protection/face protection Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep/Store away from clothing/ other combustible materials Take any precaution to avoid mixing with combustibles Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %
Cerate(2-), hexakis(nitrato-O)-, diammonium,	16774-21-3	>95
(OC-6-11)-		

4. First-aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.		
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.		
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician or Poison Control Center immediately.		
Most important symptoms/effects Notes to Physician	S Causes eye burns. Causes burns by all exposure routes. May cause allergic skin reaction Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: May cause methemoglobinemia Treat symptomatically		
5. Fire-fighting measures			
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam.		
Unsuitable Extinguishing Media	No information available		
Flash Point	No information available		
Method -	No information available		
Autoignition Temperature Explosion Limits Upper Lower	No data available No data available		

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Oxidizer

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Oxidizing Properties

Nitrogen oxides (NOx) Ammonia Heavy metal oxides Thermal decomposition can lead to release of irritating gases and vapors **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 3	Instability 3	Physical hazards OX
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Do not allow material to co		to safe areas. m. Should not be released into the sewer system. See Section 12 for

	additional ecological information.			
Methods for Containment and Cle Up	n Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.			
	7. Handling and storage			
Handling	Do not breathe dust. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment. Do not ingest. Keep away from clothing and other combustible materials. Wash hands before breaks and immediately after handling the product.			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.			
8. Exposure controls / personal protection				
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.			
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.			
Personal Protective Equipment				
Eye/face Protection	Tightly fitting safety goggles. Face-shield.			
Skin and body protection	Long sleeved clothing.			
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.			

9. Physical and chemical	properties
--------------------------	------------

Powder Solid
Orange
pungent
No information available
1 @ 20°C 50 g/l aq.sol
107 - 108 °C / 224.6 - 226.4 °F
No information available
No information available
Not applicable
No information available
No data available
No data available
No information available
Not applicable
No information available
No information available
No data available
No information available
Not applicable
H8 Ce N8 O18

Molecular Weight	548.22	
10. Stability and reactivity		
Reactive Hazard	Yes	
Stability	Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire. heat sensitive.	
Conditions to Avoid	Excess heat. Incompatible products. Combustible material.	
Incompatible Materials	Acids, Bases, Cyanides, Metals, Reducing agents, Powdered metals, Strong reducing agents, Combustible material	
Hazardous Decomposition Products Nitrogen oxides (NOx), Ammonia, Heavy metal oxides, Thermal decomposition can lead t release of irritating gases and vapors		
Hazardous Polymerization Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.	
	11. Toxicological information	

Acute Toxicity

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	300-2000 mg/kg (Rat)	>2000 mg/kg(Rat)	Not listed	
Toxicologically Synergistic	No information available			
Products				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to eyes, respiratory system and skin

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	16774-21-3	Not listed	Not listed	Not listed	Not listed	Not listed	
IARC: (Internation	al Agency for Rese	search on Cancer) IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans					
Mutagenic Effects		No information available					
Reproductive Effect	S	No information available.					
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single exposure STOT - repeated exposure		Respiratory system None known					
Aspiration hazard		No information ava	ailable				

Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: May cause methemoglobinemia	
Endocrine Disruptor Information	No information available	
Other Adverse Effects	The toxicological properties have not been fully investigated.	
	12. Ecological information	

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability Bioaccumulation/ Accumulation	based on information available. May persist No information available.
Mobility	Will likely be mobile in the environment due to its w

Will likely be mobile in the environment due to its water solubility.

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3085
Proper Shipping Name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class	5.1
Packing Group	
TDG	
UN-No	UN3085
Proper Shipping Name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Hazard Class	5.1
Packing Group	
UN-No	UN3085
Proper Shipping Name	Oxidizing solid, corrosive, n.o.s
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	
IMDG/IMO	
UN-No	UN3085
Proper Shipping Name	Oxidizing solid, corrosive, n.o.s
Hazard Class	5.1
Subsidiary Hazard Class	8
Packing Group	
	15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Cerate(2-),	Х	Х	-	240-827-6	-		Х	Х	Х	Х	Х
hexakis(nitrato-O)-,											
diammonium, (OC-6-11)-											

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

Not applicable

TSCA 12(b) SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Cerate(2-), hexakis(nitrato-O)-, diammonium, (OC-6-11)-	16774-21-3	>95	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pre Reactive Hazard	Yes Yes No No Yes	
Clean Water Act	Not applicable	
Clean Air Act	Not applicable	

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cerate(2-),	-	Х	-	Х	-
hexakis(nitrato-O)-,					
diammonium, (OC-6-11)-					

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class	C Oxidizing materials E Corrosive material D2B Toxic materials
	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	24-Nov-2010
Revision Date	25-Jun-2015
Print Date	25-Jun-2015
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)
Disclaimer	

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS