Reviewed On: 11/25/2015



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

1 Identification

- · Product Identifier:
- · Product Name: TB Methylene Blue
- · Catalog Number: 212516
- · Application of the substance / the mixture Laboratory Chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: **BD** Diagnostic Systems 7 Loveton Circle Sparks, MD 21152 Telephone: (410) 771 - 0100 or (800) 638 - 8663 Email Address: Technical_Services@bd.com
- · Information Department: Technical Service · Emergency telephone number: In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H226 Flammable liquid and vapor.
- Precautionary statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P280 Wear protective gloves / eve protection / face protection.
- P240 Ground/bond container and receiving equipment.
- P233 Keep container tightly closed.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

(Contd. of page 1) P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · NFPA ratings (scale 0-4) Health = 2Flammability = 3Reactivity = 0· HMIS ratings (scale 0-4) HEALTH * Health = *0 FIRE 3 Flammability = 3 **REACTIVITY** O Reactivity = 0 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **3 Composition/information on ingredients** · Chemical characterization: Mixture · Description: Mixture consisting of the following components. · Dangerous Components:

	ethanol	28.5%
EINECS: 200-578-6 Fi	Flam. Liq. 2, H225	
	nethanol	1.5%
EINECS: 200-659-6 FI	Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	

Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · General information Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.
- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

(Contd. of page 2)

 After eye contact Rinse opened eye for 15 minutes under running water. Then consult a doctor.

- · After swallowing Immediately call a doctor.
- · Information for doctor Show this product label or this SDS.
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** During heating or in case of fire toxic gases may be produced.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Wipe up with damp sponge or mop.
- · Methods and material for containment and cleaning up: No special measures required.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents.

(Contd. on page 4)

🍪 BD

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Product Name: TB Methylene Blue

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class C
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL 1900 mg/m³, 1000 ppm
- REL 1900 mg/m³, 1000 ppm
- TLV 1880 mg/m³, 1000 ppm

67-56-1 methanol

- PEL 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
- · Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal Protective Equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:
- In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator. **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

• Eye protection: Safety glasses

(Contd. on page 5)

US -

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Product Name: TB Methylene Blue

· Body protection: Protective work clothing (lab coat).

Physical and chemical pr	operties
Information on basic physical General Information	and chemical properties
Appearance:	1 Sec. 24
Form: Color:	Liquid Blue
Odor:	Characteristic
Change in condition Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	29 °C (84 °F)
Ignition temperature:	425.0 °C (797 °F)
Auto igniting:	Product is not self igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	7.0 Vol %
Upper:	20.0 Vol %
Vapor pressure:	59.0 hPa (44 mm Hg)
Density:	Not determined
Solubility in / Miscibility with Water:	Slightly soluble
Solvent content:	
Organic solvents:	30.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)



(Contd. of page 4)

Reviewed On: 11/25/2015

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

(Contd. of page 5)

· Hazardous decomposition products:

Nitrogen oxides (NOx) Carbon monoxide (CO) and carbon dioxide (CO2) Hydrogen chloride (HCI) gas

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 64-17-5 ethanol

Oral LD50 3450 mg/kg (MOU)

7060 mg/kg (rat)

· Primary irritant effect:

• on the skin: No irritating effect.

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity:

Target organs: eyes, kidneys, liver, gastrointestinal tumors, blood, lymphomas. Target organs: thyroid, kidney, ureter or bladder tumors.

 Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 7)

US

🍪 BD

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

(Contd. of page 6)

· Ecotoxical effects:

• Other information: The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D001 (ignitable).

Uncleaned packagings:

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT IMDG, IATA	UN3316 3316
UN proper shipping name IMDG, IATA	CHEMICAL KITS
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, IMDG, IATA	<i>III</i>



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

	(Contd. of page 7)
 Environmental hazards: Marine pollutant: 	No
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· EMS Number:	F-A, <u>S-P</u>
· Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN3316, CHEMICAL KITS, 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

64-17-5 ethanol

67-56-1 methanol

· TSCA (Toxic Substances Control Act)

7732-18-5 water

64-17-5 ethanol

67-56-1 methanol

· California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

 California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 California Proposition 65 - Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause developmental toxicity:

64-17-5 ethanol

· Carcinogenic categories

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

_____US

A4



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

· Hazard pictog	(Contd. of page 8)
GHS02	
· Signal word W	/arning
· Hazard statem	ents
H226 Flammab	le liquid and vapor.
 Precautionary 	statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P280	Wear protective gloves / eye protection / face protection.
P240	Ground/bond container and receiving equipment.
P233	Keep container tightly closed.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
 Chemical safe 	ty assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

Department issuing SDS: Environmental, Health & Safety Created by Michael J. Spinazzola
Contact: Technical Service Representative
Date of preparation / last revision 06/03/2016 / Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

US

🍪 BD

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 11/25/2015

Product Name: TB Methylene Blue

(Contd. of page 9)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

US -