SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Valvoline™ CRIMSON #2

GREASE

Product code : VV70124

Details of the supplier of the safety data sheet

Valvoline LLC 100 Valvoline Way Lexington, KY 40509

United States of America (USA) 1-800-TEAMVAL (1-800-832-6825)

SDS@valvoline.com

Emergency telephone number

1-800-VALVOLINE (1-800-825-8654)

Regulatory Information Number

1-800-TEAMVAL (1-800-832-6825)

Product Information

1-800-TEAMVAL (1-800-832-6825)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization : Category 1

GHS label elements

Hazard pictograms



Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : Prevention:

Wear protective gloves.

Contaminated work clothing must not be allowed out of the

workplace.

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Response:

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/ attention.

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

IF ON SKIN: Wash with plenty of soap and water.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

nazardous components				
Chemical name	CAS-No.	Classification	Concentration (%)	
Pentene, 2,4,4-trimethyl-,	68515-88-8	Skin Irrit. 2; H315	>=0.10 - < 0.50	
sulfurized				
		Skin Sens. 1A; H317		
2,5-BIS(OCTYLDITHIO)-1,3,4- THIADIAZOLE	13539-13-4	Acute Tox. 4; H332	>=0.10 - < 0.50	
		Skin Irrit. 2; H315		
		Eye Irrit. 2A; H319		
		Skin Sens. 1; H317		
5,5'-dithiodi-1,3,4-thiadiazole-	72676-55-2		>=0.10 - < 0.50	
2(3H)-thione		Skin Sens. 1; H317		
2(3H)-thione		Skin Sens. 1; H317		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

Valvoline, TM

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

If on skin, rinse well with water.

First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

Notes to physician

delayed

: No symptoms known or expected. May cause an allergic skin reaction.

: No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: No hazardous combustion products are known

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.



Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust.

Do not smoke.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tig

: Keep container tightly closed in a dry and well-ventilated

place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

Personal protective equipment

Respiratory protection : Respiratory protection is not required under normal conditions

of use.

No personal respiratory protective equipment normally

required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eyes.

Skin and body protection : Wear as appropriate:

Impervious clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : red

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : $> 700 \, ^{\circ}\text{F} \, / > 371 \, ^{\circ}\text{C}$

Flash point : $> 399 \, ^{\circ}\text{F} / > 204 \, ^{\circ}\text{C}$

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

: < 0.01 Evaporation rate

Flammability (solid, gas) No data available

Self-ignition No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

< 0.1 mmHg (68 °F / 20 °C) Vapour pressure

Relative density 0.9 (60.1 °F / 15.6 °C)

Density 0.9 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility No data available

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature No data available

Viscosity

Viscosity, dynamic No data available

> 1000 mm2/s (104 °F / 40 °C) Viscosity, kinematic

Oxidizing properties No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Product will not undergo hazardous polymerization.

Conditions to avoid : None known.

Incompatible materials : None known.

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

Hazardous decomposition

products No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye Contact Ingestion

Acute toxicity

Not classified based on available information.

Components:

2,5-BIS(OCTYLDITHIO)-1,3,4-THIADIAZOLE:

Acute inhalation toxicity : Assessment: The component/mixture is classified as acute

inhalation toxicity, category 4.

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: Not classified as acutely toxic by ingestion under

GHS.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: Not classified as acutely toxic by dermal

absorption under GHS.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Pentene, 2,4,4-trimethyl-, sulfurized:

Result : Severe skin irritation

2,5-BIS(OCTYLDITHIO)-1,3,4-THIADIAZOLE:

Result : Irritating to skin.

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Unlikely to cause eye irritation or injury.

Valvoline...

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

Components:

2,5-BIS(OCTYLDITHIO)-1,3,4-THIADIAZOLE:Result : Irritating to eyes.

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione: Species : Rabbit

Result : Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : May cause allergic skin reaction.

Components:

Pentene, 2,4,4-trimethyl-, sulfurized:

Test Type : Open epicutaneous test

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1A.

Method : OECD Test Guideline 406

2,5-BIS(OCTYLDITHIO)-1,3,4-THIADIAZOLE:

Assessment : May cause sensitisation by skin contact.

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Test Type : Local lymph node assay

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 429

Germ cell mutagenicity

Not classified based on available information.

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Valvoline...

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic

hazard

: Chronic aquatic toxicity Category 3; Harmful to aquatic life

with long lasting effects.

Components:

Pentene, 2,4,4-trimethyl-, sulfurized:

Toxicity to fish : LC50 (Fish): 0.494 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: EC50 (Aquatic invertebrates): 0.004 mg/l

Exposure time: 96 h Test Type: static test

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Long-term (chronic) aquatic

hazard

: Chronic aquatic toxicity Category 1; Very toxic to aquatic life

with long lasting effects.

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Toxicity to fish : EC50 (Pimephales promelas (fathead minnow)): > 454 mg/l

Exposure time: 96 h Test Type: semi-static test

SAFETY DATA SHEET

Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 3 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 20 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Persistence and degradability

Components:

5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

No data available

Bioaccumulative potential

Components:
No data available
Mobility in soil
Components:
No data available
Other adverse effects

No data available

Product:

Additional ecological

information

: No data available

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.





Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

CFR ROAD

Not regulated as a dangerous good

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitisation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL



Valvoline™ CRIMSON #2 GREASE

Version: 1.4	Revision Date: 03/04/2021	Print Date:
		10/10/2022

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.


Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Internal information: R0290463



NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements

H315 Causes skin irritation.



Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value



Valvoline™ CRIMSON #2 GREASE

Version: 1.4 Revision Date: 03/04/2021 Print Date: 10/10/2022

TWA: Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System