

# SAFETY DATA SHEET

Creation Date 10-Oct-2006 Revision Date 10-Oct-2014 **Revision Number 1** 

1. Identification

**Product Name** 2-Heptanone

AC154000000; AC154000010; AC154000050; AC154000051; Cat No.:

AC154001000; AC154002500

**Synonyms** Methyl amyl ketone

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

**Entity / Business Name Emergency Telephone Number** Company

Acros Organics For information US call: 001-800-ACROS-01

One Reagent Lane / Europe call: +32 14 57 52 11

Fair Lawn, NJ 07410 Emergency Number **US:**001-201-796-7100 /

Europe: +32 14 57 52 99

CHEMTREC Tel. No.US:001-800-424-9300 /

Europe:001-703-527-3887

# Hazard(s) identification

#### Classification

Fisher Scientific

One Reagent Lane

Fair Lawn, NJ 07410

Tel: (201) 796-7100

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3 Acute oral toxicity Category 4 Acute Inhalation Toxicity - Vapors Category 4 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

### Label Elements

# Signal Word

Warning

### **Hazard Statements**

Flammable liquid and vapor Harmful if swallowed Harmful if inhaled May cause respiratory irritation May cause drowsiness or dizziness



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

# Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
2-Heptanone	110-43-0	>95

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Obtain medical

attention.

Revision Date 10-Oct-2014 2-Heptanone

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

None reasonably foreseeable. Breathing difficulties. Symptoms of overexposure may be Most important symptoms/effects

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically Notes to Physician

# Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed **Suitable Extinguishing Media** 

containers exposed to fire with water spray.

**Unsuitable Extinguishing Media** No information available

39 °C / 102.2 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 532 °C / 989.6 °F

**Explosion Limits** 

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2)

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	2	0	N/A

### Accidental release measures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of **Personal Precautions** 

ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional ecological

information.

Up

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in Handling

eves, on skin, or on clothing. Avoid ingestion and inhalation, Keep away from open flames. hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary

measures against static discharges.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container **Storage** 

tightly closed in a dry and well-ventilated place. Keep away from heat and sources of

ignition. Flammables area.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Heptanone	TWA: 50 ppm	(Vacated) TWA: 100 ppm	IDLH: 800 ppm
·		(Vacated) TWA: 465 mg/m <sup>3</sup>	TWA: 100 ppm
		TWA: 100 ppm	TWA: 465 mg/m <sup>3</sup>
		TWA: 465 mg/m <sup>3</sup>	_

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
2-Heptanone	TWA: 50 ppm	TWA: 50 ppm	TWA: 25 ppm
	TWA: 233 mg/m <sup>3</sup>	TWA: 235 mg/m <sup>3</sup>	TWA: 115 mg/m <sup>3</sup>
		STEL: 100 ppm	_
		STEL: 465 mg/m <sup>3</sup>	

are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined

areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Respiratory Protection

rotection Long sleeved clothing.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor aromatic

Odor Threshold

pH

No information available
No information available

Melting Point/Range No information availal No information available No

Boiling Point/Range 149 - 150 °C / 300.2 - 302 °F @ 760 mmhq

Flash Point 39 °C / 102.2 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNo information available

Relative Density 0.820

Solubility
No information available
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

No information available
No information available
No information available

Molecular Formula C7 H14 O Molecular Weight 114.19

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
2-Heptanone	1600 mg/kg (Rat)	12.6 mL/kg (Rabbit)	2000 ppm (Rat) 4 h		

**Toxicologically Synergistic** 

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** May cause irritation

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Heptanone	110-43-0	Not listed				

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Heptanone	Not listed	126 - 137 mg/L LC50 96 h	Not listed	Not listed

**Persistence and Degradability**Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

#### Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Heptanone	1.98

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN1110

Proper Shipping Name N-AMYL METHYL KETONE

Hazard Class 3
Packing Group III

**TDG** 

**UN-No** UN1110

Proper Shipping Name N-AMYL METHYL KETONE

Hazard Class 3
Packing Group III

IATA

**UN-No** UN1110

Proper Shipping Name n-AMYL METHYL KETONE

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1110

Proper Shipping Name AMYL METHYL KETONE

Hazard Class 3 Packing Group III

# 15. Regulatory information

### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
2-Heptanone	Х	Χ	-	203-767-1	-		Χ	Χ	Χ	Х	Х

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

### SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** 

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

## State Right-to-Know

Component	Massachusetts	New Jersey	New Jersey Pennsylvania		Rhode Island	
2-Heptanone	X	X	X	-	X	

### **U.S.** Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade Moderate risk, Grade 2

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B3 Combustible liquid
D1B Toxic materials



# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Oct-2006

 Revision Date
 10-Oct-2014

 Print Date
 10-Oct-2014

### **Revision Summary**

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**