

# SAFETY DATA SHEET

Creation Date 20-Aug-2009	Revision Date 13-Oct-2014	Revision Number 2	
	1. Identification		
Product Name	Ethylene glycol dimethyl ethe	r	
Cat No. :	AC118450000; AC118450010; AC118450010; AC118450250; AC118455000	AC118450025; AC118450050;	
Synonyms	Monoglyme; 1,2-Dimethoxyethane		
Recommended Use	Laboratory chemicals.		
Uses advised against Details of the supplier of the saf	No Information available ety data sheet		
<b>Company</b> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	<b>Entity / Business Name</b> Acros Organics One Reagent Lane Fair Lawn, NJ 07410	Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887	

2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids		
Acute Inhalation Toxicity - Vapors		
Skin Corrosion/irritation		
Reproductive Toxicity		

Category 2 Category 4 Category 2 Category 1B

#### Label Elements

Signal Word Danger

#### Hazard Statements

Highly flammable liquid and vapor Causes skin irritation Harmful if inhaled May damage fertility. May damage the unborn child



#### Precautionary Statements

#### Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

#### Response

IF exposed or concerned: Get medical attention/advice

## Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep cool

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

May form explosive peroxides

## 3. Composition / information on ingredients

Component		CAS-No	Weight %	
Ethylene glycol o	limethyl ether	110-71-4	>95	
	4.	First-aid measures		
General Advice	Show this saf required.	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
Skin Contact		Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.		
Inhalation	resuscitation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.		
Ingestion	Do not induce	Do not induce vomiting. Call a physician or Poison Control Center immediately.		

Most important symptoms/effects Notes to Physician	Breathing difficulties Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically		
	5. Fire-fighting measures		
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed containers exposed to fire with water spray.		
Unsuitable Extinguishing Media	No information available		
Flash Point	-6 °C / 21.2 °F		
Method -	No information available		
Autoignition Temperature	200 °C / 392 °F		
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	10.40% 1.60% t No information available No information available		
<b>Specific Hazards Arising from the C</b> Flammable. Containers may explode v ignition and flash back.	<b>hemical</b> when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of		
•			

#### NFPA

Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.		
Environmental Precautions	Should not be released into information.	the environment. See Sectio	n 12 for additional ecological

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpRemove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

 T. Handling and storage

 Handling
 Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors or spray mist. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat and sources of ignition.

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethylene glycol dimethyl ether			TWA: 5 ppm TWA: 18 mg/m <sup>3</sup>
			Skin
NIOSH IDLH: The National Institute for	r Occupational Safety and Health	Immediately Dangerous to Life or He	alth
Engineering Measures	are close to the workstati	al fume hood. Ensure that eyewas on location. Use explosion-proof ng/equipment. Ensure adequate v	-
Personal Protective Equipment			
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Skin and body protection	Long sleeved clothing.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical	9. Physical and chemical properties		
Physical State	Liquid		
Appearance	Colorless		
Odor	Petroleum distillates		
Odor Threshold	No information available		
рН	No information available		
Melting Point/Range	-69 °C / -92.2 °F		
Boiling Point/Range	84 - 86 °C / 183.2 - 186.8 °F @ 760 mmHg		
Flash Point	-6 °C / 21.2 °F		
Evaporation Rate	5.0 (Butyl Acetate = 1.0)		
Flammability (solid,gas)	Not applicable		
Flammability or explosive limits			
Upper	10.40%		
Lower	1.60%		
Vapor Pressure	64 hPa @ 20 °C		
Vapor Density	3.1 (Air = 1.0)		
Relative Density	0.867		
Solubility	Miscible with water		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	200 °C / 392 °F		
Decomposition Temperature	No information available		
Viscosity	1.1 mPa.s at 20 °C		
Molecular Formula	C4 H10 O2		
Molecular Weight	90.12		

## 10. Stability and reactivity

**Reactive Hazard** 

None known, based on information available

Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization Hazardous polymerization does not occur.			
Hazardous Reactions None under normal processing.			
11. Toxicological information			

#### Acute Toxicity

### **Product Information**

Component Informa	ation					
Component		LD50 Oral	LD50 Oral		LC50	Inhalation
Ethylene glycol dime		5370 mg/kg ( Rat )	) :	>5 g/kg(Rat)	>20 mg/	′L /6h ( Rat )
Toxicologically Syn	ergistic	No information ava	ailable			
Products						
Delayed and immed	liate effects	as well as chronic effe	ects from short an	d long-term expo	sure	
Irritation		Irritating to skin	Irritating to skin			
Sensitization		No information av	ailable			
Carcinogenicity		The table below in	ndicates whether ea	ach agency has lis	ted any ingredient	as a carcinogen.
Component	CAS-No	D IARC	NTP	ACGIH	OSHA	Mexico
Ethylene glycol dimethyl ether	110-71-/	4 group 2	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	ts	May impair fertility	May impair fertility.			
Developmental Effe	cts	May cause harm t	May cause harm to the unborn child.			
Teratogenicity		No information ava	ailable.			
STOT - single exposureNone knownSTOT - repeated exposureNone known						
Aspiration hazard	Aspiration hazard No information available					
Symptoms / effects delayed	s,both acute		nd Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting			he, dizziness,
Endocrine Disrupto	r Informatio	n No information available				
Other Adverse Effe	ther Adverse Effects See actual entry in RTECS for complete information.					

## 12. Ecological information

Ecotoxicity Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethylene glycol dimethyl ether	Not listed	>5000 mg/L 96h	Not listed	Not listed

Mobility Will likely be mobile in the		environment due to its volatility.	
Bioaccumulation/ Accumulation	No information available.		
Persistence and Degradability	Persistence is unlikely based on information available.		

Component	log Pow
Ethylene glycol dimethyl ether	-0.21

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT	
UN-No	UN2252
Proper Shipping Name	1,2-DIMETHOXYETHANE
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN2252
Proper Shipping Name	1,2-DIMETHOXYETHANE
Hazard Class	3
Packing Group	II
IATA	
UN-No	UN2252
Proper Shipping Name	1,2-DIMETHOXYETHANE
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN2252
Proper Shipping Name	1,2-DIMETHOXYETHANE
Hazard Class	3
Packing Group	
	15 Regulatory in

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed The product is classified and labeled according to EC directives or corresponding national laws The product is classified and labeled in accordance with Directive 1999/45/EC

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ethylene glycol dimethyl ether	X	Х	-	203-794-9	-		Х	Х	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

#### TSCA 12(b)

Component	TSCA 12(b)
Ethylene glycol dimethyl ether	Section 5

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Ethylene glycol dimethyl ether	110-71-4	>95	1.0
SARA 311/312 Hazardous Categorization			
Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	Yes		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

Clean Water Act	Not applicable
-----------------	----------------

#### **Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Ethylene glycol dimethyl ether	Х		-	
OSUA Occupational Safety and Health Administration				

**OSHA** Occupational Safety and Health Administration Not applicable

#### CERCLA

Not applicable

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene glycol dimethyl ether	Х	Х	Х	Х	-

#### U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

B2 Flammable liquid D2A Very toxic materials



Prepared By

Creation Date Revision Date Print Date Revision Summary 16. Other information

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

20-Aug-2009 13-Oct-2014 13-Oct-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

## **End of SDS**