

SAFETY DATA SHEET

Creation Date 19-Oct-2009

Revision Date 28-Oct-2014

Revision Number 1

Product Name	PHOSPHORIC ACID	
Cat No. :	C6066, C6070, C6072	
Synonyms	Orthophosphoric acid	
Recommended Use	Laboratory chemicals.	
Uses advised against Details of the supplier of the	No Information available safety data sheet	

Company Post Apple Scientific, inc. 8893 Gulf Rd North East, PA 16428 Tel: 814-725-3330 Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals		
Skin Corrosion/irritation		
Serious Eye Damage/Eye Irritation		
Specific target organ toxicity (single exposure)		
Target Organs - Respiratory system.		

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation Category 1 Category 1 B Category 1 Category 3



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %
Phosphoric acid	7664-38-2	>/= 85
Water	7732-18-5	= 15</td

1 Einstald massion

4. First-aid measures	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Immediate medical attention is required.
Ingestion	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Call a physician or Poison Control Center immediately.

Most important symptoms/effectsCauses burns by all exposure routes. Ingestion causes severe swelling, severe de the delicate tissue and danger of perforation: Product is a corrosive material. Use lavage or emesis is contraindicated. Possible perforation of stomach or esophagu be investigated Treat symptomaticallyNotes to PhysicianTreat symptomatically		
	5. Fire-fighting measures	
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.	
Unsuitable Extinguishing Media	No information available	
Flash Point Method -	Not applicable No information available	
Autoignition Temperature Explosion Limits	No information available	

UpperNo data availableLowerNo data availableOxidizing PropertiesNot applicable

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Oxides of phosphorus

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 0	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Use personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Use only under a chemical fume hood. Ensure adequate ventilation. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors/dust. Do not ingest.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.
	8. Exposure controls / personal protection
Exposure Guidelines	

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid	TWA: 1 mg/m ³ STEL: 3 mg/m ³	(Vacated) TWA: 1 mg/m ³ (Vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³
		TWA: 1 mg/m ³	STEL: 3 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Phosphoric acid	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
	STEL: 3 mg/m ³	STEL: 3 mg/m ³	STEL: 3 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physica	I and chemical properties
Physical State	Liquid
Appearance	Clear, Viscous
Odor	Odorless
Odor Threshold	No information available
рН	1
Melting Point/Range	21 °C / 69.8 °F
Boiling Point/Range	158 °C / 316.4 °F
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	2 hPa @ 20°C
Vapor Density	3.4
Relative Density	1.680
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	300 °C
Viscosity	3.86 mPas @ 20°C

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability	Hygroscopic.
Conditions to Avoid	Incompatible products. Excess heat. Exposure to moisture.
Incompatible Materials	Strong oxidizing agents, Metals, Bases, Alcohols, Amines, halogenated agents
Hazardous Decomposition Product	s Oxides of phosphorus
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	Contact with metals may evolve flammable hydrogen gas.

11. Toxicological information

Acute Toxicity

Product Information	ı								
Oral LD50			Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.						
Dermal LD50			Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.						
Vapor LC50		Based on ATE data	a, the classification	n criteria are not m	et. ATE > 20 mg/l.				
Component Informa									
Componer		LD50 Oral		LD50 Dermal	LC50 Inhalation				
Phosphoric a		2600 mg/kg (Rat)) mg/kg (Rabbit)	850 mg/r	m³(Rat)1 h			
Toxicologically Syn	ergistic	No information ava	ilable						
Products									
Delayed and immed	liate effects a	s well as chronic effe	cts from short an	d long-term expo	sure				
Irritation		Causes burns by a	II exposure routes						
Sensitization		No information ava	ilable						
Carcinogenicity	ogenicity The table below indicates whether each agency has listed any ingredient as a carcin								
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
Phosphoric acid	7664-38-2	Not listed	Not listed	Not listed	Not listed	Not listed			
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed			
Mutagenic Effects		No information ava	ilable						
Reproductive Effect	ts	No information ava	No information available.						
Developmental Effe	cts	No information ava	No information available.						
Teratogenicity		No information ava	No information available.						
STOT - single exposure STOT - repeated exposure		Respiratory system None known	Respiratory system None known						
Aspiration hazard		No information ava	No information available						
Symptoms / effects,both acute and delayed		perforation: Produc	Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated						
Endocrine Disrupto	r Information		No information available						
Other Adverse Effe	cts	The toxicological p	The toxicological properties have not been fully investigated.						

12. Ecological information

Ecotoxicity Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea

Phosphoric acid	Not listed	98 - 106 mg/L LC50 96 h	Not listed	> 100 mg/L EC50 = 48 h				
Persistence and Degrada		water Persistence is unlike	ely based on information a	available.				
Bioaccumulation/Accum	ulation No information	on available.						
Mobility	Will likely be	Will likely be mobile in the environment due to its water solubility.						
	13. Disposal considerations							
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical in hazardous waste. Chemical waste generators must also consult local, region national hazardous waste regulations to ensure complete and accurate class								
	14. Transport information							
DOT								

DOT	
UN-No	UN1805
Proper Shipping Name	PHOSPHORIC ACID SOLUTION
Hazard Class	8
Packing Group	III
TDG	
UN-No	UN1805
Proper Shipping Name	PHOSPHORIC ACID SOLUTION
Hazard Class	8
Packing Group	III
UN-No	UN1805
Proper Shipping Name	PHOSPHORIC ACID, SOLUTION
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN1805
Proper Shipping Name	PHOSPHORIC ACID, SOLUTION
Hazard Class	8
Packing Group	III
	15 Regulatory inform

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Phosphoric acid	Х	Х	-	231-633-2	-		Х	Х	Х	Х	Х
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

licable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Phosphoric acid	Х	5000 lb	-	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component		Hazardous Substances RQs	CERCLA EHS RQs
Phosphoric acid		5000 lb	-
	This was described	de se met conteire envi Bren ceitien 65 ch	

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phosphoric acid	Х	Х	Х	-	Х
Water	-	-	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

E Corrosive material



16. Other information

Prepared By

Regulatory Affairs

Post Apple Scientific, inc. Email: gordon@postapplescientific.com

Creation Date Revision Date Print Date Revision Summary 19-Oct-2009 28-Oct-2014 28-Oct-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS