

No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3 % solution

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Name of product TwinOxide 0.3 % solution

Manufacturer/distributor TwinOxide International B.V.

De Tongelreep 17, NL-5684 PZ Best

Netherlands

Phone +31 499 32 92 42. Fax +31 499 32 96 20

E-Mail info@twinoxide.com Internet http://www.twinoxide.com/

Advice TwinOxide International B.V.

Phone +31 499 32 92 42 Fax +31 499 32 96 20

Emergency advice GIZ Nord

Phone +49 (0) 5 51 - 1 92 40

This number is only available at office times.

Recommended intended purpose(s)

As a water disinfectant and an oxidizing agent

2. HAZARDS IDENTIFICATION

Classification according to 67/548/EEC or 1999/45/EC

Xi; R36

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Hazard Statements Classification procedure

categories

Eye Irrit. 2 H319 Calculation method.

Information pertaining to special dangers for human and environment

A gaseous phase with 4 Vol % chlorine dioxide is formed over the solution, which possesses the following dangers:

T+, R26 (very toxic by inhalation).

Xi, R36/37/38 (irritating to eyes, respiratory tract and skin).

N, R50 (very toxic to aquatic organisms).

These hazards are to be considered while handling this product!

3. COMPOSITION/INFORMATION ON INGREDIENTS

Description

Aqueous chlorine dioxide solution (ca. 3 g/l chlorine dioxide in water).

CAS No 10049-04-4

chlorine dioxide ca. 0.3 %

EC No 233-162-8

Index No 006-089-01-X



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3 % solution

Additional advice

This chlorine dioxide solution is manufactured by using TwinOxide components A and B in accordance with manufacturer's instructions.

4. FIRST AID MEASURES

General information

If threatening unconsciousness, position and transport in recovery position

Symptoms of poisoning may not occur for hours, therefore medical supervision for at least 48 hours necessary. Adhere to personal protective measures when giving first aid.

Take away from danger area and lay down affected person.

In case of breathing difficulties give oxygen.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

Seek medical treatment immediately.

In case of respiratory standstill give artificial respiration by respirator and send for a doctor.

In case of skin contact

In case of contact with skin wash off immediately with soap and water.

Remove contaminated clothing immediately, even underwear and shoes.

Consult a doctor if skin irritation persists.

In case of eye contact

Eve rinsing with water carefully while protecting unhurt eye.

Medical treatment by eye specialist.

In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Physician's information / possible symptoms

The following symptoms may occur:

Eye defects

Unconsciousness

Coughing

Shortness of breath

Headache

Nausea

Dizziness

Gastrointestinal complaints

Physician's information / possible dangers

Risk of pulmonary irritation

Risk of pulmonary oedema

As chronic effects illness of respiratory tract (chronical bronchitis) or lung fibrosis is possible.

Treatment (Advice to doctor)

Continue to monitor for pneumonia and pulmonary oedema.

Pre treatment with Corticoid-Spray, e.g. Auxiloson-, Pulmicort-Dosieraerosol.

If swallowed, flush stomach.

Monitor circulation.

Control of heart function and blood parameter



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3 % solution

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Extinguishing media which must not be used for safety reasons

Full water jet

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In the event of fire the following can be released:

Hydrogen chloride (HCI)

Chlorine (CI2)

Dioxine

Phosgene

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

Do not inhale explosion and/or combustion gases.

Additional information

Cool endangered containers with water spray jet.

Inhalation of dangerous decomposing products may cause severe damages to health.

Keep people away and stay on the upwind side.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Ensure adequate ventilation.

Keep people away and stay on the upwind side.

Use personal protective clothing (see chapter 8).

Keep away sources of ignition.

Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up

Send in suitable containers for recovery or disposal.

Use chemical neutralizers.

Take up mechanically and send for disposal.

Additional Information

Information for safe handling see chapter 7.



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

7. HANDLING AND STORAGE

Advice on safe handling

In case of free handling thoroughly sucking off vapours is necessary.

During filling from containers a chlorine dioxide degassing will happen.

Transport and store containers always upright.

While filling and pouring suck off filling place.

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Open and handle container with care!

Advice on protection against fire and explosion

The product is not combustible.

Chlorine dioxide solutions are explosive when exceeding concentrations of 300 g/m3.

Critical concentrations over the aqueous solution expected by heating up (e.g. by sunlight).

Pay attention to general rules of internal fire prevention.

Requirements for storage rooms and vessels

Ventilate store-rooms thoroughly.

Provide solvent-resistant and impermeable floor.

Keep only in original container.

Advice on storage compatibility

Do not store with acids, alkalies or combustible materials.

Do not store with oxidizing agents.

Keep at distance to reducing agents.

Further information on storage conditions

Keep container tightly closed, store at cool and aired place, open and handle carefully.

Protect from direct solar radiation.

Protect from heat/overheating.

Storage group 6.1BL

Fire class B

Information on storage stability

At room temperature chlorine dioxide solutions are stable for 2 - 4 weeks, longer stable at cool and light protected storage.

Recommendation(s) for intended use

As a water disinfectant and an oxidizing agent

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Spitzenb.	Remark
10049-04-4	chlorine dioxide	WEL, 8 hours	0,28	0,1		
		Short-term	0,84	0,3		

Additional advice

Observe national and local legal requirements.

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Short term: filter apparatus, Filter B



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

Hand protection

Gloves made of nitril rubber (NBR).

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:

The personal protection must be chosen workplace-specific due to the dependence on concentration and amount of hazardous substances.

The chemical resistance of the personal protection gloves for this special application should be clarified and confirmed by the supplier.

Recommended protection glove type (use restriction time in hrs):

KCL 741 Dermatril L (splash and full contact; Thickness: 0,11 mm; Break-through time: > 480 min).

Eye protection

Safety goggles with side protection

Skin protection

Light protective clothing, thick material

General protective measures

Do not inhale vapours.

Avoid contact with eyes and skin

Hygiene measures

Clean skin thoroughly after working.

At work do not eat, drink, smoke or take drugs.

Remove soiled or soaked clothing immediately.

Limitation and surveillance of the environment

Do not discharge into the drains/surface waters/groundwater.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Color Odor liquid yellow chlorine-like

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value in delivery state	ca. 3				
boiling point	ca. 102 ° C				water
melting point	ca2 ° C				water
Flash point					not applicable
Flammability (gas)					not applicable
Ignition temperature					not applicable
Auto ignition					not applicable
Lower explosion limit					not applicable



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

	Value	Temperature	at	Method	Remark
Upper explosion limit					not applicable
Vapour pressure					not determined
Density	ca. 1,10 g/l				
Solubility in water					multimiscible
Partition coefficient (log pOW)					not applicable
Viscosity					not applicable
Solvent separation test					not applicable
Solvent concentration					not applicable
Water content	> 95 %				
Oxidizing properties No data available.					
Explosive properties No data available.					

10. STABILITY AND REACTIVITY

Conditions to avoid

Heating (Decomposition!).

Materials to avoid

Reactions with acids and strong oxidizing agents.

Reactions with reducing agents.

Reaction with metals and metal salts.

Hazardous decomposition products

Chlorine compounds

Additional information

No decomposition if used as prescribed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD 50 acute oral				not determined
LD 50 acute dermal				not determined
Irritability skin				not determined



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

	Value/Validation	Species	Method	Remark
Irritability eye				not determined
Skin sensitization				not determined
Experiences made from practice Long-term irritations of eyes possible.				

12. ECOLOGICAL INFORMATION

Data on elimination (persistence and degradability)

Elimination rate Method of analysis Method Validation

Degradability

not applicable

Biological

eliminability

not determined

Degradability

according to WRMG

not applicable

Mobility and bioaccumulative potential

not determined

Ecotoxicological effects

	Value	Species	Method	Validation	
Fish	LC50 100 - 500 mg/l (96 h)	Brachidanio rerio	OECD 203		
Daphnia				not determined	
Algae				not determined	
Bacteria				not determined	

Additional ecological information							
J	Value	Method	Remark				
ос			not determined				
COD			not determined				
BOD			not determined				
AOX			not applicable				

General regulation

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants without pretreatment.



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

13. DISPOSAL CONSIDERATIONS

Waste code No. Name of waste

19 08 99 wastes not otherwise specified19 09 99 wastes not otherwise specified

Recommendations for the product

Use Twinoxide Neutralizer (ask your supplier).

Recommendations for packaging

Packaging that cannot be cleaned should be disposed of like the product.

Recommended cleansing agent

Water.

General information

Disposal according to 91/692/EEC.

14. TRANSPORT INFORMATION

Land and inland navigation transport ADR/RID

UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (chlorine dioxide), 6.1, II, (D/E), Classification code: T4

Marine transport IMDG

UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (chlorine dioxide), 6.1, II

Air transport ICAO/IATA-DGR

UN 3287 Toxic liquid, inorganic, n.o.s. (chlorine dioxide), 6.1, II

15. REGULATORY INFORMATION

Labeling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

Product identifiers

Chlorine dioxide 0.3 %

Signal word

Warning

Hazard Statements

H319 Causes serious eye irritation.

Precautionary Statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

P338 if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Special rules for supplemental label elements for certain mixtures

Use biocides safely. Always read the label and product information before use.



No. 1907/2006 (REACH) Printed 08.05.2010

Revision 25.04.2013 (GB) Version 1.2

TwinOxide 0.3% solution

National regulations

Restriction of occupation

Observe employment restrictions for young people.

Decree for case of interference/remarks

No subject to the "Seveso II directive [96/82/EC]".

Technical instruction air remarks

In the delivered state the product is not subject to the TA air (for Germany only).

Water hazard class

1 Mixture-WGK

Self classification according Annex 3, VwVwS.

Other regulations, restrictions and prohibition regulations

To observe: TRGS 514 "Storage of highly poisonous and poisonous substances in packaging and transportable containers"

16. OTHER INFORMATION

Recommended uses and restrictions

Only for industrial users.

Observe national and local legal requirements.

Further information

The information contained in this data sheet is based on our present state of knowledge and experiences. It should not therefore be construed as guaranteeing specific properties of the product described on their suitability for a particular application.

Sources of key data used

GESTIS Substance data base (http://www.hvbg.de/d/bia/fac/zesp/zesp.htm) IUCLID Data set

Wording of the R-phrases specified in chapter 3 (not the classification of the formulation!)

R 25 Toxic if swallowed.

R 34 Causes burns.

R 50 Very toxic to aquatic organisms.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.