# SIGMA-ALDRICH

sigma-aldrich.com

# SAFETY DATA SHEET

Version 3.7 Revision Date 05/24/2016 Print Date 11/14/2016

| 1. PF | 1. PRODUCT AND COMPANY IDENTIFICATION   |              |  |  |  |
|-------|---|--------------|--|--|--|
| 1.1   | Product identifiers<br>Product name   | :            | Nitrate Reagent A  |  |  |
|       | Product Number<br>Brand   | :            | 38497<br>Sigma-Aldrich   |  |  |
| 1.2   | Relevant identified uses  | s of th<br>: | e substance or mixture and uses advised against<br>Laboratory chemicals, Synthesis of substances |  |  |
| 1.3   | Details of the supplier of the safety data sheet<br>Company : Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103 |              |  |  |  |

|                  |   | USA                                |
|------------------|---|------------------------------------|
| Telephone<br>Fax | - | +1 800-325-5832<br>+1 800-325-5052 |

# 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318 Carcinogenicity (Category 1B), H350

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word                                | Danger  |
|--|---|
| Hazard statement(s)<br>H314<br>H350        | Causes severe skin burns and eye damage.<br>May cause cancer.   |
| Precautionary statement(s)<br>P201<br>P202 | Obtain special instructions before use.<br>Do not handle until all safety precautions have been read and  |
| P264                                       | understood.<br>Wash skin thoroughly after handling.   |
| P280                                       | Wash skin thoroughly alter handling.<br>Wear protective gloves/ protective clothing/ eye protection/ face<br>protection.  |
| P301 + P330 + P331<br>P303 + P361 + P353   | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.<br>IF ON SKIN (or hair): Remove/ Take off immediately all contaminated<br>clothing. Rinse skin with water/ shower. |

| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310               | Immediately call a POISON CENTER/doctor.   |
| P321               | Specific treatment (see supplemental first aid instructions on this label).  |
| P363               | Wash contaminated clothing before reuse.   |
| P405               | Store locked up.   |
| P501               | Dispose of contents/ container to an approved waste disposal plant.  |

# **2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Lachrymator.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2 Mixtures

Svnonvms

: 1-Naphthylamine

### Hazardous components

| Component                      |                                       | Classification  | Concentration  |
|--------------------------------|---------------------------------------|---|----------------|
| Acetic acid                    |                                       |   |                |
| CAS-No.<br>EC-No.<br>Index-No. | 64-19-7<br>200-580-7<br>607-002-00-6  | Flam. Liq. 3; Skin Corr. 1A;<br>Eye Dam. 1; H226, H314,<br>H318   | >= 30 - < 50 % |
| 1-Naphthylamine                |                                       |   |                |
| CAS-No.<br>EC-No.<br>Index-No. | 134-32-7<br>205-138-7<br>612-020-00-2 | Acute Tox. 4; Acute Tox. 2;<br>Carc. 1B; Aquatic Acute 2;<br>Aquatic Chronic 2; H302,<br>H310, H350, H411 | >= 0.1 - < 1 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **5. FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

### Components with workplace control parameters

| Component   | CAS-No. | Value  | Control parameters | Basis                                      |
|-------------|---------|--|--------------------|--|
| Acetic acid | 64-19-7 | TWA  | 10.000000 ppm      | USA. ACGIH Threshold Limit Values<br>(TLV) |
|             | Remarks | Pulmonary function<br>Upper Respiratory Tract irritation<br>Eye irritation |                    |  |
|             |         | STEL   | 15.000000 ppm      | USA. ACGIH Threshold Limit Values<br>(TLV) |
|             |         | Pulmonary function<br>Upper Respiratory Tract irritation<br>Eye irritation |                    |  |

|                                 | ST   | 15.000000 ppm<br>37.000000          | USA. NIOSH Recommended<br>Exposure Limits   |
|---------------------------------|--|-------------------------------------|---|
|                                 |  | mg/m3                               |   |
|                                 |  |                                     | s of 5-8% in vinegar  |
|                                 | TWA  | 10.000000 ppm<br>25.000000<br>mg/m3 | USA. NIOSH Recommended<br>Exposure Limits   |
|                                 | Can be foun  | d in concentrations                 | s of 5-8% in vinegar  |
|                                 | TWA  | 10.000000 ppm<br>25.000000<br>mg/m3 | USA. Occupational Exposure Limits<br>(OSHA) - Table Z-1 Limits for Air<br>Contaminants        |
|                                 | The value in   | mg/m3 is approxir                   | nate.   |
|                                 | TWA  | 10 ppm                              | USA. ACGIH Threshold Limit Values (TLV)   |
|                                 | Pulmonary f  | unction                             | · · · ·   |
|                                 |  | iratory Tract irritatio             | on  |
|                                 | STEL   | 15 ppm                              | USA. ACGIH Threshold Limit Values (TLV)   |
|                                 | Pulmonary f  | unction                             | • • • •   |
|                                 |  | iratory Tract irritatio             | n   |
|                                 | TŴA  | 10 ppm<br>25 mg/m3                  | USA. NIOSH Recommended<br>Exposure Limits   |
|                                 | Can be foun  |                                     | s of 5-8% in vinegar  |
|                                 | ST   | 15 ppm                              | USA. NIOSH Recommended  |
|                                 |  | 37 mg/m3                            | Exposure Limits   |
|                                 | Can be foun  |                                     | s of 5-8% in vinegar  |
|                                 | TWA  | 10 ppm<br>25 mg/m3                  | USA. Occupational Exposure Limits<br>(OSHA) - Table Z-1 Limits for Air<br>Contaminants        |
|                                 | The value in   | mg/m3 is approxir                   |   |
|                                 | PEL  | 10 ppm<br>25 mg/m3                  | California permissible exposure<br>limits for chemical contaminants<br>(Title 8, Article 107) |
|                                 | STEL   | 15 ppm<br>37 mg/m3                  | California permissible exposure<br>limits for chemical contaminants<br>(Title 8, Article 107) |
|                                 | С  | 40 ppm                              | California permissible exposure<br>limits for chemical contaminants<br>(Title 8, Article 107) |
|                                 | 1910.1004  |                                     | rmation see OSHA document   |
|                                 | See Append   | cupational Carcino<br>lix A         | ogen  |
|                                 | 1910.1003<br>1910.1004   |                                     |   |
|                                 | This section shall not apply to solid or liquid mixtures containing less<br>than 1.0 percent by weight or volume<br>This section applies to any area in which this substance is  |                                     |   |
|                                 | manufactured, processed, repackaged, released, handled, or stored,<br>but shall not apply to transshipment in sealed containers, except for<br>the labeling requirements under paragraphs $(e)(2)$ , $(3)$ and $(4)$ of this |                                     |   |
| Hazardous components without wo |  | fically regulated ca                | ırcinogen   |

Hazardous components without workplace control parameters

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 60 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

| a) | Appearance                              | Form: clear, liquid<br>Colour: light red |
|----|---|--|
| b) | Odour                                   | No data available                        |
| c) | Odour Threshold                         | No data available                        |
| d) | рН                                      | No data available                        |
| e) | Melting point/freezing point            | No data available                        |
| f) | Initial boiling point and boiling range | No data available                        |
| g) | Flash point                             | No data available                        |

| h)  | Evaporation rate                                   | No data available |
|-----|--|-------------------|
| i)  | Flammability (solid, gas)                          | No data available |
| j)  | Upper/lower<br>flammability or<br>explosive limits | No data available |
| k)  | Vapour pressure                                    | No data available |
| I)  | Vapour density                                     | No data available |
| m)  | Relative density                                   | No data available |
| n)  | Water solubility                                   | No data available |
| o)  | Partition coefficient: n-<br>octanol/water         | No data available |
| p)  | Auto-ignition<br>temperature                       | No data available |
| q)  | Decomposition<br>temperature                       | No data available |
| r)  | Viscosity  | No data available |
| s)  | Explosive properties                               | No data available |
| t)  | Oxidizing properties                               | No data available |
| Oth | ner safety information                             |                   |

# 9.2 Other safety information No data available

# **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Avoid moisture.
- **10.5** Incompatible materials Peroxides, permanganates, e.g. potassium permanganate, Amines, Alcohols

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

# Acute toxicity

No data available

No data available

### Skin corrosion/irritation No data available

Serious eye damage/eye irritation No data available

### **Respiratory or skin sensitisation** No data available

### Germ cell mutagenicity

### No data available

### Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: OSHA specifically regulated carcinogen (1-Naphthylamine)

# Reproductive toxicity

No data available No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence (Acetic acid) Stomach - Irregularities - Based on Human Evidence (1-Naphthylamine)

# **12. ECOLOGICAL INFORMATION**

12.1 Toxicity

No data available

- **12.2 Persistence and degradability** No data available
- **12.3 Bioaccumulative potential** No data available

# 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

## **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

### DOT (US)

UN number: 2790 Class: 8 Packing group: III Proper shipping name: Acetic acid solution Reportable Quantity (RQ):

Poison Inhalation Hazard: No

# IMDG

UN number: 2790 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: ACETIC ACID, SOLUTION

# IATA

UN number: 2790 Class: 8 Packing group: III Proper shipping name: Acetic acid solution

### **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

1-Naphthylamine

The following components are subject to reporting levels established by SARA Title III, Section 313: CAS-No. Revision Date

134-32-7

2007-07-01

| SARA 311/312 Hazards                                 |
|--|
| Assisted Legelthe Llagender Observice Llagelthe Llag |

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

|  | CAS-No.   | Revision Date |
|--|-----------|---------------|
| Acetic acid  | 64-19-7   | 1993-04-24    |
| 1-Naphthylamine  | 134-32-7  | 2007-07-01    |
| Pennsylvania Right To Know Components                  |           |               |
|  | CAS-No.   | Revision Date |
| Water  | 7732-18-5 |               |
| Acetic acid  | 64-19-7   | 1993-04-24    |
| 1-Naphthylamine  | 134-32-7  | 2007-07-01    |
| New Jersey Right To Know Components                    |           |               |
|  | CAS-No.   | Revision Date |
| Water  | 7732-18-5 |               |
| Acetic acid  | 64-19-7   | 1993-04-24    |
| California Prop. 65 Components                         |           |               |
| WARNING! This product contains a chemical known to the | CAS-No.   | Revision Date |
| State of California to cause cancer.                   | 134-32-7  | 2007-09-28    |
| 1-Naphthylamine  |           |               |
|  |           |               |

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox.      | Acute toxicity           |
|-----------------|--------------------------|
| Aquatic Acute   | Acute aquatic toxicity   |
| Aquatic Chronic | Chronic aquatic toxicity |
| Carc.           | Carcinogenicity          |

| Eye Dam.   | Serious eye damage                               |
|------------|--|
| Flam. Liq. | Flammable liquids                                |
| H226       | Flammable liquid and vapour.                     |
| H302       | Harmful if swallowed.                            |
| H310       | Fatal in contact with skin.                      |
| H314       | Causes severe skin burns and eye damage.         |
| H318       | Causes serious eye damage.                       |
| H350       | May cause cancer.                                |
| H411       | Toxic to aquatic life with long lasting effects. |
| Skin Corr. | Skin corrosion                                   |

0

0

# **HMIS Rating**

| Health hazard:         |   |
|------------------------|---|
| Chronic Health Hazard: |   |
| Flammability:          | 0 |
| Physical Hazard        | 0 |
| NFPA Rating            |   |
| Health hazard:         | 3 |

# Fire Hazard: Reactivity Hazard:

### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

### **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.7

Revision Date: 05/24/2016

Print Date: 11/14/2016