

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

1 Identification

- **Product identifier**

- **Trade name: TransTech (TM) 2 Part Kit**

- **Part number:** 400-1001 (Part of 400-0137)
 - **Application of the substance / the mixture** Automatic transmission fluid cleaner

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

MotorVac, division of, CPS Products Canada Ltd.
1324 Blundell Road
Mississauga, ON, L4Y 1M5
Canada
Phone: (905) 615-8620

- **Emergency telephone number:**

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

2 Hazard(s) identification

- **Classification of the substance or mixture**

Flam. Liq. 3 H226 Flammable liquid and vapor.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

4-methylpentan-2-ol
oleic acid, pure

- **Hazard statements**

Flammable liquid and vapor.
May cause respiratory irritation.

- **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Use only outdoors or in a well-ventilated area.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:** For Professional Use Only
- **Classification system:**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture: consisting of the following hazardous components.

· **Chemical components:**

108-11-2	4-methylpentan-2-ol	10-<25%
112-80-1	oleic acid, pure	2.5-<10%

4 First-aid measures

- **Description of first aid measures**
 - **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 - **After skin contact:**
Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.
 - **After eye contact:**
Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.
 - **After swallowing:**
Rinse mouth with water.
Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If conscious, give small quantities of water to drink.
Stop if victim feels sick.
Do not induce vomiting.
If symptoms persist consult doctor.
 - **Information for doctor:** Treat Symptomatically
 - **Most important symptoms and effects, both acute and delayed**
Coughing
May cause respiratory tract irritation.

(Contd. on page 3)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
 - **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** See section 10 for additional information.
- **Advice for firefighters**
 - **Protective equipment:**
Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots. Do not use a water jet.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Use respiratory protective device against the effects of fumes/dust/aerosol.
Remove persons from danger area.
Avoid breathing vapor or mist.
Do not touch or walk through spilled material.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
Prevent from spreading (e.g. by damming-in or oil barriers).
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Avoid contact with the eyes and skin.
Avoid contact with clothing.
Use only in well ventilated areas.
Avoid splashes or spray in enclosed areas.
Keep in the original containers.
See section 8 for personal protective equipment.
Do not reuse container.
 - **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep away from ignition sources and high temperature materials.

(Contd. on page 4)

-US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
See section 10 for incompatible materials.
 - **Information about storage in one common storage facility:**
Store away from water.
Store in a cool dry place in tightly closed containers.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Engineering Controls**
Ensure adequate ventilation in the workplace.
eye wash station
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
108-11-2 4-methylpentan-2-ol (10-<25%)	
PEL	TWA: 100 mg/m ³ , 25 ppm Skin
REL	STEL: 165 mg/m ³ , 40 ppm TWA: 100 mg/m ³ , 25 ppm Skin
TLV	STEL: 167 mg/m ³ , 40 ppm TWA: 104 mg/m ³ , 25 ppm Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not eat, drink, smoke or sniff while working.
Remove all soiled and contaminated clothing.
 - **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 - **Protection of hands:**



Chemical resistant protective gloves

- **Eye protection:**



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 4)

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:** Fluid

- **Color:** Red

- **Odor:** Mild

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

- **Melting point/Melting range:** Undetermined.

- **Boiling point/Boiling range:** 131 °C

- **Flash point:** 45 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 305 °C

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

- **Lower:** 1.0 Vol %

- **Upper:** 5.5 Vol %

- **Vapor pressure at 20 °C:** 7 hPa

- **Density:** Not determined.

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

- **Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- **Dynamic:** Not determined.

- **Kinematic:** Not determined.

- **Solvent content:**

- **Organic solvents:** 0.0 %

- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- **Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

- **Possibility of hazardous reactions** No dangerous reactions known.

- **Conditions to avoid** Heat, open flames, sparks.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 5)

- **Incompatible materials:** Strong Oxidizers
- **Hazardous decomposition products:** May include, and are not limited to: oxides of carbon.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	17267 mg/kg (rat)
Dermal	LD50	23733 mg/kg (rabbit)

108-11-2 4-methylpentan-2-ol

Oral	LD50	2590 mg/kg (rat)
Dermal	LD50	3560 mg/kg (rabbit)

112-80-1 oleic acid, pure

Oral	LD50	74000 mg/kg (rat)
------	------	-------------------

· Primary irritant effect:

· on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.

· on the eye:

May cause eye irritation. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

· Inhalation:

May cause respiratory tract irritation.
coughing

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

112-80-1 oleic acid, pure

LC50 (96 h)	205 mg/l (fish)
-------------	-----------------

- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 6)

· **Behavior in environmental systems:**

· Bioaccumulative potential	
108-11-2 4-methylpentan-2-ol	
Bioaccumulation	LogPow 1.43 (-) (potential low)
112-80-1 oleic acid, pure	
Bioaccumulation	LogPow 7.73 (-) (potential high)

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**


· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT	UN1993
· IMDG, IATA	UN2053
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Methyl isobutyl carbinol)
· IMDG, IATA	METHYL ISOBUTYL CARBINOL mixture
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS


Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 7)

<p>· IMDG, IATA</p> 	
<p>· Class · Label</p>	<p>3 Flammable liquids 3</p>
<p>· Packing group · DOT, IMDG, IATA</p>	<p>III</p>
<p>· Environmental hazards: · Marine pollutant:</p>	<p>No</p>
<p>· Special precautions for user · Danger code (Kemler): · EMS Number:</p>	<p>Warning: Flammable liquids 30 F-E,S-D</p>
<p>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</p>	<p>Not applicable.</p>
<p>· Transport/Additional information: · DOT · Quantity limitations</p>	<p>On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L</p>
<p>· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)</p>	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<p>· UN "Model Regulation":</p>	<p>UN2053, Methyl isobutyl carbinol mixture, 3, III</p>

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**
All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· State Right-to-Know

Massachusetts	4-Methylpentan-2-ol
New York	None of the components listed.
New Jersey	4-Methylpentan-2-ol
Pennsylvania	4-Methylpentan-2-ol, oleic acid

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02 GHS07

· Signal word Warning

· Hazard-determining components of labeling:

4-methylpentan-2-ol
oleic acid, pure

· Hazard statements

Flammable liquid and vapor.
May cause respiratory irritation.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves / eye protection / face protection.
Keep container tightly closed.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Use only outdoors or in a well-ventilated area.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Store locked up.
Store in a well-ventilated place. Keep cool.

(Contd. on page 10)

US

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 07/08/2015

v 2

Revision Date: 06/09/2015

Trade name: TransTech (TM) 2 Part Kit

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional Country Lists:

- Australia(AICS): All components are listed or exempted.
- China Inventory(IECSC): All components are listed or exempted.
- Japan Inventory: Not Determined
- Korea inventory: All components are listed or exempted.
- Malaysia Inventory(EHS Register): Not Determined
- New Zealand Inventory of Chemicals(NZIoC): All components are listed or exempted.
- Philippines inventory (PICCS): All components are listed or exempted.
- Taiwan Inventory (CSNN): Not Determined

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact: Engineering Department

Issue Date July 8, 2015

Revision Changes:

- v 1.0 - original release (June 9, 2015)
- v 2.0 - revised part number (July 8, 2015)

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Flam. Liq. 3: Flammable liquids, Hazard Category 3
- STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3