

Revision Date: 10-24-2014

# SAFETY DATA SHEET

## 1. Identification

Product identifier: Ethylene Dichloride

Other means of identification

Product No.: 9301

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Environmental Health & Safety e-mail: info@avantormaterials.com

**Emergency telephone number:** 

24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

# 2. Hazard(s) identification

# **Hazard Classification**

## **Physical Hazards**

Flammable liquids Category 2

#### **Health Hazards**

Acute toxicity (Oral)

Skin Corrosion/Irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2A

Carcinogenicity

Category 1B

Specific Target Organ Toxicity 
Category 3

Single Exposure

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger



Revision Date: 10-24-2014

**Hazard Statement:** Highly flammable liquid and vapor.

Harmful if swallowed. Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

May cause cancer.

Precautionary Statement

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Keep away from

heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not eat, drink or

smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated

area. Wash hands thoroughly after handling.

**Response:** In case of fire: Use water spray, foam, dry powder or carbon dioxide for

extinction. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical

advice/attention. IF exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel

unwell.

Storage: Store in a well-ventilated place. Keep cool. Store locked up. Keep container

tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

#### 3. Composition/information on ingredients

#### Substances

| Chemical Identity   | Common name and synonyms | CAS<br>number | Content in percent (%)* |
|---------------------|--------------------------|---------------|-------------------------|
| ETHYLENE DICHLORIDE |                          | 107-06-2      | 90 - 100%               |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**General information:** Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.



Revision Date: 10-24-2014

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel

unwell.

**Inhalation:** Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical

advice/attention. Take off immediately all contaminated clothing. Wash

contaminated clothing before reuse.

**Eye contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed

**Symptoms:** Irritating to eyes, respiratory system and skin. Narcotic effect.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed. Treat symptomatically.

5. Fire-fighting measures

**General Fire Hazards:** Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the

containers to explode.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move

containers from fire area if you can do so without risk.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the MSDS for Personal

Protective Equipment.



Revision Date: 10-24-2014

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use only non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop

leak if you can do so without risk. Inform authorities if large amounts are

involved.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

### 7. Handling and storage

Precautions for safe handling: DO NOT handle, store or open near an open flame, sources of heat or

sources of ignition. Protect material from direct sunlight. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-

sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with eyes, skin, and clothing. Use

only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and

disposal of flammable liquids.

#### 8. Exposure controls/personal protection

# **Control Parameters**

**Occupational Exposure Limits** 

| Chemical Identity   | Туре         | Exposure Limit | Values  | Source  |
|---------------------|--------------|----------------|---------|---|
| ETHYLENE DICHLORIDE | TWA          | 10 ppm         |         | US. ACGIH Threshold Limit Values (2011)               |
|                     | REL          | 1 ppm          | 4 mg/m3 | US. NIOSH: Pocket Guide to Chemical<br>Hazards (2010) |
|                     | STEL         | 2 ppm          | 8 mg/m3 | US. NIOSH: Pocket Guide to Chemical<br>Hazards (2010) |
|                     | TWA          | 1 ppm          | 4 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)        |
|                     | STEL         | 2 ppm          | 8 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)        |
|                     | TWA          | 50 ppm         |         | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)       |
|                     | Ceiling      | 100 ppm        |         | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)       |
|                     | MAX.<br>CONC | 200 ppm        |         | US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)       |

**Appropriate Engineering Controls** 

No data available.



Revision Date: 10-24-2014

#### Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area. Use explosion-proof ventilation equipment.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Provide eyewash station and safety shower.

#### 9. Physical and chemical properties

## **Appearance**

Physical state: Liquid
Form: Liquid
Color: Colorless

Odor: Chloroform-like odor
Odor threshold: No data available.
pH: No data available.

Melting point/freezing point: -35.3 °C Initial boiling point and boiling range: 83 °C

Flash Point: 13 °C (Closed Cup)
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 15.9 %(V)
Flammability limit - lower (%): 6.2 %(V)

Explosive limit - upper (%):

Explosive limit - lower (%):

Vapor pressure:

Vapor density:

Relative density:

No data available.

No data available.

No data available.

1.24 (20 °C)

Solubility(ies)

Solubility in water: 8.1 g/l (20 °C)
Solubility (other): No data available.

Partition coefficient (n-octanol/water): 1.48
Auto-ignition temperature: 413 °C

**Decomposition temperature:**No data available. **Viscosity:**No data available.

Other information

Molecular weight: 98.96 g/mol (C2H4Cl2)



Revision Date: 10-24-2014

#### 10. Stability and reactivity

**Reactivity:** No dangerous reaction known under conditions of normal use.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of Hazardous** 

Reactions:

Hazardous polymerization does not occur.

**Conditions to Avoid:** Heat, sparks, flames. Contact with incompatible materials.

**Incompatible Materials:** Ammonia. Caustics. Reducing agents. Oxidizing agents. Alkali metals.

Alkali earth metals. Organic peroxides/hydroperoxides. Amines.

**Hazardous Decomposition** 

**Products:** 

By heating and fire, toxic vapors/gases may be formed.

## 11. Toxicological information

#### Information on likely routes of exposure

**Ingestion:** Harmful if swallowed.

**Inhalation:** May cause irritation to the respiratory system. May cause drowsiness or

dizziness.

**Skin Contact:** Causes skin irritation.

**Eye contact:** Causes serious eye irritation.

#### Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 670 mg/kg

**Dermal** 

**Product:** No data available.

Inhalation

**Product:** LC 50 (Rat, 165 min): 3000 ppm

LD 50 (Rat, 7 h): 1000 ppm LC 50 (Rat, 31.8 min): 12000 ppm LC 50 (Rat, 432 min): 1000 ppm

**Repeated Dose Toxicity** 

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** Causes skin irritation.

Serious Eye Damage/Eye Irritation

**Product:** Causes serious eye irritation.

Respiratory or Skin Sensitization

**Product:** Not a skin sensitizer.

Carcinogenicity

**Product:** May cause cancer.



Revision Date: 10-24-2014

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

ETHYLENE DICHLORIDE Overall evaluation: 2B. Possibly carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

ETHYLENE Reasonably Anticipated to be a Human Carcinogen.

**DICHLORIDE** 

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No mutagenic components identified

In vivo

**Product:** No mutagenic components identified

**Reproductive Toxicity** 

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** Inhalation - vapor: Respiratory System - Respiratory tract irritation.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

Product: Not classified

Other Effects: None known.

#### 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

ETHYLENE LC 50 (Sheepshead minnow (Cyprinodon variegatus), 96 h): > 130 - < 230

DICHLORIDE mg/l Mortality

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 110 - 123 mg/l

Mortality

LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 225

mg/I Mortality

LC 50 (Bluegill (Lepomis macrochirus), 96 h): 230 - 710 mg/l Mortality

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

ETHYLENE EC 50 (Water flea (Daphnia magna), 48 h): 140 - 190 mg/l Intoxication DICHLORIDE LC 50 (Water flea (Daphnia magna), 48 h): 160 - 280 mg/l Mortality

#### Chronic hazards to the aquatic environment:

**Fish** 



Revision Date: 10-24-2014

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and Degradability

Biodegradation

**Product:** There are no data on the degradability of this product.

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative Potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)
Product: Log Kow: 1.48

Mobility in Soil: No data available.

Other Adverse Effects: The product components are not classified as environmentally hazardous.

However, this does not exclude the possibility that large or frequent spills

can have a harmful or damaging effect on the environment.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

**Contaminated Packaging:** Since emptied containers retain product residue, follow label warnings even

after container is emptied.

#### 14. Transport information

DOT

UN Number: UN 1184

UN Proper Shipping Name: Ethylene dichloride

Transport Hazard Class(es)

Class(es): 3, 6.1
Label(s): 3, 6.1
Packing Group: II
Marine Pollutant: No

**IMDG** 

UN Number: UN 1184

UN Proper Shipping Name: ETHYLENE DICHLORIDE

Transport Hazard Class(es)

Class(es): 3, 6.1 Label(s): 3, 6.1 EmS No.: F-E, S-D

Packing Group: II
Marine Pollutant: No



Revision Date: 10-24-2014

**IATA** 

UN Number: UN 1184

Proper Shipping Name: Ethylene dichloride

Transport Hazard Class(es):

Class(es): 3, 6.1
Label(s): 3, 6.1
Marine Pollutant: No
Packing Group: II

## 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

ETHYLENE DICHLORIDE Reportable quantity: 100 lbs.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

#### **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

# **SARA 304 Emergency Release Notification**

| Chemical Identity   | RQ      |
|---------------------|---------|
| ETHYLENE DICHLORIDE | 100 lbs |

SARA 311/312 Hazardous Chemical

| Chemical Identity   | Threshold Planning Quantity |
|---------------------|-----------------------------|
| ETHYLENE DICHLORIDE | 500 lbs                     |

**SARA 313 (TRI Reporting)** 

|                     | Reporting<br>threshold for | Reporting threshold for manufacturing and |  |
|---------------------|----------------------------|---|--|
| Chemical Identity   | other users                | processing                                |  |
| ETHYLENE DICHLODIDE | 10000 lba                  | 25000 lba                                 |  |

ETHYLENE DICHLORIDE 10000 lbs 25000 lbs.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

ETHYLENE DICHLORIDE Reportable quantity: 100 lbs.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**

ETHYLENE DICHLORIDE Carcinogenic.

## US. New Jersey Worker and Community Right-to-Know Act

ETHYLENE DICHLORIDE Listed

#### **US. Massachusetts RTK - Substance List**

ETHYLENE DICHLORIDE Listed



Revision Date: 10-24-2014

#### US. Pennsylvania RTK - Hazardous Substances

ETHYLENE DICHLORIDE Listed

**US. Rhode Island RTK** 

ETHYLENE DICHLORIDE Listed

# **Inventory Status:**

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory On or in compliance with the inventory EINECS, ELINCS or NLP: Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:


On or in compliance with the inventory

On or in compliance with the inventory

Not in compliance with the inventory.

## 16.Other information, including date of preparation or last revision

#### **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

**Issue Date:** 10-24-2014

**Revision Date:** No data available.

Version #: 1.1

Further Information: No data available.



Disclaimer:

Version: 1.1

Revision Date: 10-24-2014

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION<(>,<)> WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE. OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.