Safety Data Sheet

Acid Alcohol, 3% in 95%

CAROLINA®
www.carolina.com

Section 1 Product Description

Product Name:	Acid Alcohol, 3% in 95%
Recommended Use:	Science education applications
Synonyms:	Hydrochloric Acid in Ethanol, Acid Alcohol
Distributor:	Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150
Chemical Information:	800-227-1150 (8am-5pm (ET) M-F)
Chemtrec:	800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER

Highly flammable liquid and vapor. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause cancer. Causes damage to organs. Toxic to aquatic life.

GHS Classification:
Carcinogenicity Category 1A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Flammable Liquid Category 2, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2, Hazardous to the aquatic environment · Acute Category 2, Acute Toxicity - Dermal Category 3

Other Safety Precautions:	IF exposed: Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.
Acute Toxicity Dermal Contains	89.095 % of the mixture consists of ingredient(s) of unknown toxicity

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%
Ethyl alcohol	64-17-5	83.32
Water	7732-18-5	6.73
Isopropyl Alcohol	67-63-0	4.66
Methanol	67-56-1	4.17
Hydrogen Chloride	7647-01-0	1.12

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation:	In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5 Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.
Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
Fire and/or Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.
Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Hydrogen chloride

Section 6 Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away. Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7 Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/…/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.
Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any general chemical storage.
Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8 Protection Information

	ACGIH		OSHA PEL	
Chemical Name	**(TWA)**	**(STEL)**	**(TWA)**	**(STEL)**
Ethyl alcohol	N/A	1000 ppm STEL	1000 ppm TWA; 1900 mg/m3 TWA	N/A
Isopropyl Alcohol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980 mg/m3 TWA	N/A
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260 mg/m3 TWA	N/A
Hydrogen Chloride	N/A	2 ppm (Ceiling)	N/A	5 ppm (Ceiling)

Control Parameters
Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Personal Protective Equipment (PPE): Lab coat, apron, eye wash, safety shower.
Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash station available.
Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work
Gloves: Nitrile

Section 9 Physical Data

Formula: No data available
Molecular Weight: No data available
Appearance: Colorless Liquid
Odor: Moderate Alcohol Odor
Odor Threshold: No data available
pH: No data available
Melting Point: No data available -114 C
Boiling Point: Estimated 79 C 79 C
Flash Point: Estimated 17 C 17 C
Flammable Limits in Air: 3.3 - 19.0% (for 100% ethanol)

Vapor Pressure: No data available
Evaporation Rate (BuAc=1): No data available
Vapor Density (Air=1): No data available
Specific Gravity: 0.8
Solubility in Water: Soluble
Log Pow (calculated): -0.3 (est) -0.32
Autoignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available
Percent Volatile by Volume: 92%

Section 10 Reactivity Data

Reactivity: Not generally reactive under normal conditions.
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Reaction with water is exothermic.
Incompatible Materials: Water-reactive materials, Strong oxidizing agents, Acids, Strong reducing agents, Magnesium, Water, Caustics (bases), Oxidizing materials, Acetic anhydride, Amines, Alkanolamines, Isocyanates, Copper, Metals
Hazardous Decomposition Products: Hydrogen chloride, Carbon dioxide, Carbon monoxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation, ingestion, eye or skin contact.
Symptoms (Acute): Dizziness, Depressed Activity, Eye disorders, Central Nervous System Depression, Respiratory Irritation
Delayed Effects: No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
Isopropyl Alcohol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Hydrogen Chloride	7647-01-0	Oral LD50 Rabbit 900 mg/kg		INHALATION LC50 Rat 3700 ppm INHALATION LC50 Mouse 1108 ppm INHALATION LC50 Rat 45000 MG/M3 INHALATION LC50 Rat 8300 MG/M3

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Ethyl alcohol	64-17-5	Listed	Listed	Listed
Isopropyl Alcohol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed
Hydrogen Chloride	7647-01-0	Not listed	Not listed	Not listed

Chronic Effects:
Mutagenicity: No evidence of a mutagenic effect.
Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.
Reproductive: No evidence of negative reproductive effects.
Target Organ Effects:
Acute: Eyes, No information available
Chronic: Eyes

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.
Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.
Persistence: Biodegradation, Dissolved into water
Bioaccumulation: Bioconcentration is not expected to occur.
Degradability: No data
Other Adverse Effects: No data

Chemical Name	CAS Number	Eco Toxicity
Ethyl alcohol	64-17-5	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L
Water	7732-18-5	No data available
Isopropyl Alcohol	67-63-0	96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L
Methanol	67-56-1	96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]
Hydrogen Chloride	7647-01-0	96 HR LC50 GAMBUSIA AFFINIS 282 MG/L [STATIC]

Section 13 Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14 Transport Information

Ground - DOT Proper Shipping Name:
UN2924
Flammable Liquid, Corrosive, N.O.S.(Ethanol, Hydrochloric Acid)
Class 3 (8)
P.G. II

Air - IATA Proper Shipping Name:
UN2924
Flammable Liquid, Corrosive, N.O.S.(Ethanol, Hydrochloric Acid
Class 3 (8)
P.G. II

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Isopropyl Alcohol	67-63-0	No	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; 2270 kg final RQ	No	No
Hydrogen Chloride	7647-01-0	No	No	No	No	No

California Prop 65:

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Section 16 Additional Information

Revised: 08/21/2018 **Replaces: 06/22/2018** **Printed: 08-25-2018**

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstract Service Number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
DOT	U.S. Department of Transportation
IARC	International Agency for Research on Cancer
N/A	Not Available
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
ppm	Parts per million
RCRA	Resource Conservation and Recovery Act
SARA	Superfund Amendments and Reauthorization Act
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
IDLH	Immediately dangerous to life and health