

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 1 of 9

Ethylenediamine,

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Ethylenediamine,

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25312

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc
9 Barnhart Drive, Hanover, PA 17331
(717) 632-1291

Supplier Details:

Fisher Science Education
6771 Silver Crest Road, Nazareth, PA 18064
(724)517-1954

Emergency telephone number:

Fisher Science Education
Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable



Health hazard



Corrosive



Irritant

AcTox Oral 4.
Flam Liq. 3.
AcTox Dermal 4.
Skin corr. 1B.
Resp. Sens. 1.
Skin Sens. 1.

Signal word: Danger

Hazard statements:

Flammable liquid and vapour.
Harmful if swallowed.
Harmful in contact with skin.
Causes severe skin burns and eye damage.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 2 of 9

Ethylenediamine,

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

Precautionary statements:

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep container tightly closed.
Do not breathe dust/fume/gas/mist/vapours/spray.
Do not eat, drink or smoke when using this product.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/light/.../equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
Wear respiratory protection.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Rinse mouth.
Specific treatment (see supplemental first aid instructions on this label).
In case of fire: Use agents recommended in section 5 for extinction.
If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
Continue rinsing.
IF ON SKIN: Wash with soap and water.
Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Take off contaminated clothing and wash before reuse.
If skin irritation or a rash occurs: Get medical advice/attention.
Store in a well ventilated place. Keep cool.
Store locked up.
Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification:

WHMIS



Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3


Effective date : 12.19.2014

Page 3 of 9

Ethylenediamine,



NFPA/HMIS



NFPA SCALE (0-4)

Health	3
Flammability	2
Physical Hazard	0
Personal Protection	0

HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

Ingredients:

CAS 107-15-3	Ethylenediamine	100 %
Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Get medical aid.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Immediately flush eyes with water for at least 15 minutes. Immediately get medical assistance.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Get medical aid immediately. If victim is fully conscious, give a cupful of water.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 4 of 9

Ethylenediamine,

Suitable extinguishing agents:

Dry chemical powder. Alcohol foam. Carbon dioxide. Water spray. Polymer foam. If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents:

Water may be ineffective because it may not cool EDA below its flash point.

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Ethanol has a slight acute and chronic toxicity to aquatic life.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. Evacuate unnecessary personnel. Approach spill from upwind. Use water spray to cool and disperse vapors, protect personnel, and dilute spills to form nonflammable mixtures.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Empty containers can still be hazardous since they retain product residue. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Store with like hazards. Flammables-area. Store protected from moisture. Do not store in copper or copper alloy storage vessels.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 5 of 9

Ethylenediamine,



Control Parameters:	107-15-3, Ethylenediamine, OSHA 10 ppm TWA; 25 mg/m ³ TWA.
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.
Protection of skin:	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Eye protection:	Safety glasses with side shields or goggles.
General hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, Colorless, Viscous Liquid	Explosion limit lower:	Lower explosion limit : 2.7 % (V)
		Explosion limit upper:	Upper explosion limit : 16 % (V)
Odor:	Ammonia-like	Vapor pressure at 20°C:	13 hPa (10 mmHg) at 20 °C (68 °F)
Odor threshold:	Not Determined	Vapor density:	2.07 - (Air = 1.0)
pH-value:	11.9 (25% aq soln)	Relative density:	0.899 g/mL at 25 °C (77 °F)
Melting/Freezing point:	8.5 °C (47.3 °F)	Solubilities:	Soluble.
Boiling point/Boiling range:	118 °C (244 °F)	Partition coefficient (n-octanol/water):	octanol/water log Pow: -2.04
Flash point (closed cup):	38 °C (100 °F) - closed cup	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	0.91	Decomposition temperature:	>120C
Flammability (solid, gaseous):	flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density at 20°C:	Not Determined		

SECTION 10: Stability and reactivity

Reactivity:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 6 of 9

Ethylenediamine,

Nonreactive under normal conditions.

Chemical stability:

Absorbs carbon dioxide from air to form nonvolatile carbonate.

Possible hazardous reactions:

Flash back possible over considerable distance., Container explosion may occur under fire conditions., Vapours may form explosive mixture with air.

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases. Exposure to moisture. Heat, flames and sparks. Ignition sources, moisture, excess heat, confined spaces. Incompatible Materials.

Incompatible materials:

Strong acids. Strong bases. Oxidizing agents, Phosphorus halides, Aldehydes, Organic halides. copper, copper alloys.

Hazardous decomposition products:

Carbon oxides (CO, CO₂). nitrogen oxides (NO_x). Oxidizing agents, Phosphorus halides, Aldehydes, Organic halides, copper, copper alloys.

SECTION 11: Toxicological information

Acute Toxicity:

Oral:

1200mg/kg LD50 Rat

Dermal:

560 mg/kg Dermal LD50 Rabbit

Chronic Toxicity: No additional information.

Corrosion Irritation: No additional information.

Sensitization: No additional information.

Numerical Measures: No additional information.

Carcinogenicity: No additional information.

Mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Algae: 72 Hr EC50 Pseudokirchneriella subcapitata: 645 mg/L

Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 151 mg/L

Fish: 96 Hr LC50 Pimephales promelas: 98.6 - 131.6 mg/L [static]

Fish: 96 Hr LC50 Pimephales promelas: 191 - 254 mg/L [flow-through]

Fish: 96 Hr LC50 Pimephales promelas: 115.7 mg/L [semi-static]

Fish: 96 Hr LC50 Poecilia reticulata: 180 - 560 mg/L [semi-static]

Water Flea: 48 Hr EC50 Daphnia magna: 17 mg/L

Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 7 of 9

Ethylenediamine,

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Absorb with inert material and place in container for disposal. Ventilate area of spill. Have fire extinguishing agent available in case of fire. Eliminate all sources of ignition. Use non-sparking equipment.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

1604

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Ethylenediamine.

Hazard Class: 8

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Ethylenediamine.

Hazard Class: 8

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None



SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

107-15-3 Ethylenediamine 5000 lb.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 8 of 9

Ethylenediamine,

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.
PNEC Predicted No-Effect Concentration (REACH).
CFR Code of Federal Regulations (USA).
SARA Superfund Amendments and Reauthorization Act (USA).
RCRA Resource Conservation and Recovery Act (USA).
TSCA Toxic Substances Control Act (USA).
NPRI National Pollutant Release Inventory (Canada).
DOT US Department of Transportation.
IATA International Air Transport Association.
GHS Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH American Conference of Governmental Industrial Hygienists.
CAS Chemical Abstracts Service (division of the American Chemical Society).
NFPA National Fire Protection Association (USA).
HMIS Hazardous Materials Identification System (USA).
WHMIS Workplace Hazardous Materials Information System (Canada).

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.19.2014

Page 9 of 9

Ethylenediamine,

DNEL Derived No-Effect Level (REACH).

Effective date: 12.19.2014

Last updated: 06.19.2015