



SDS #: 326

Revision Date: March 21, 2014

Ethyl Alcohol Denatured Safety Data Sheet (SDS)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Ethyl Alcohol Denatured

Signal Word
DANGER

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

Chemtrec Emergency Phone Number: (800) 424-9746

Pictograms

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).



Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302). Do not eat, drink or smoke when using this product (P270).



Hazard class: Skin and serious eye damage, corrosion or irritation (Category 2, 2A). Causes skin and serious eye irritation (H315+H319).



Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing mist, vapors or spray (P261).

Hazard class: Specific target organ toxicity, single exposure (Category 1). Causes damage to organs (H370).

Addition of denaturant makes the product poisonous. Cannot be made nonpoisonous.

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Ethyl alcohol	64-17-5	C ₂ H ₅ OH	46.07	80-86%
Isopropyl alcohol	67-63-0	C ₃ H ₈ O	60.10	9%
Methyl alcohol	67-56-1	CH ₃ OH	32.04	4-5%
Methyl isobutyl ketone	108-10-1	C ₆ H ₁₂ O	100.16	1%
Water	7732-18-5	H ₂ O	18.00	5%
Synonyms: Ethanol (BE0011, BE0014)				

SECTION 4 — FIRST AID MEASURES

If exposed or concerned: Call a POISON CENTER or physician (P307+P311).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists eyes:** Get medical advice or attention (P337+P313). **If on skin or hair:** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell (P302+P301+P312).

SECTION 5 — FIRE FIGHTING MEASURES

Class IB flammable liquid due to ethyl alcohol content.

NFPA Code

Flash point: 21 °C

H-2

When heated, releases flammable fumes.

F-3

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

R-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor™ can.

Keep container tightly closed and cool (P233+P235). Use explosion-proof electrical and ventilating equipment (P241).

Take precautionary measures against static discharge (P243).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264).

Use only in a hood or well-ventilated area (P271).

Exposure guidelines: (as ethyl alcohol) PEL 1000 ppm (OSHA), Ceiling 1000 ppm (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Clear liquid. Strong alcohol odor.

Boiling point: 78 °C

Soluble: Miscible with water and many organic solvents.

Melting point: -144 °C

Specific gravity: 0.7893

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with oxidizing agents, peroxides, acids, acid chlorides, acid anhydrides, alkali metals, ammonia, moisture, heat, open flame, or any source of ignition.

Shelf life: Excellent, if stored properly.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Eye irritation, nausea, dizziness, headache.

ORL-RAT LD₅₀: 7060 mg/kg (as ethyl alcohol)IHL-RAT LC₅₀: 20,000 ppm/10H (as ethyl alcohol)

Chronic effects: Liver damage, reproductive, teratogenic effects, carcinogen.

SKN-RBT LD₅₀: N.A.

Target organs: Eyes, skin, central nervous system, liver, reproductive system.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #26b is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Ethyl alcohol solution. Hazard class: 3, Flammable liquid. UN number: UN1170.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-578-6), RCRA code D001.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: March 21, 2014
